



BFI Implementation Guideline References

General References

- Associates for Process improvement. Retrieved August 19, 2020 from [http://apiweb.org/-:text=Associates in Process Improvement %28API%29 develops methods, works, and to build their capability for on-going improvement](http://apiweb.org/-:text=Associates%20in%20Process%20Improvement%20develops%20methods,%20works,%20and%20to%20build%20their%20capability%20for%20on-going%20improvement)
- A *national interprofessional competency framework* (2010, February). CIHC (Canadian Interprofessional Health Collaborative). <http://ipcontherun.ca/wp-content/uploads/2014/06/National-Framework.pdf>
- Competency Verification Toolkit: Ensuring Competency of Direct Care Providers to Implement the Baby-Friendly Hospital Initiative* (2020). World Health Organization and UNICEF. <https://www.who.int/publications/item/9789240008854>
- Counselling of women to improve breastfeeding practices* (2018). World Health Organization and UNICEF. <https://apps.who.int/iris/bitstream/handle/10665/280133/9789241550468-eng.pdf?ua=1>
- Donabedian, A. (1966). Evaluating the quality of health care. *Milbank Memorial Fund Quarterly*, 44(3), 106–126. This is a classic, on which the ten Steps were developed.
- Evans, M. (n.d.) An illustrated look at QI in Healthcare (video). <http://www.ihi.org/resources/Pages/HowtoImprove/ScienceofImprovementHowtoImprove.aspx>
- Facilitating discharge from hospital of healthy term infant* (2018). Canadian Pediatric Society. <https://www.cps.ca/en/documents/position/facilitating-discharge-from-hospital-of-the-healthy-term-infant>
- Further guidance on implementing the standards* (n.d.). UNICEF UK Baby-Friendly. <https://www.unicef.org.uk/babyfriendly/further-guidance-on-implementing-the-standards/>
- Global Strategy on Infant and Young Child Feeding* (2003, December 22). World Health Organization and UNICEF. <https://www.who.int/publications/item/9241562218>
- Guideline: Protecting, promoting and supporting breastfeeding in facilities providing maternity and newborn services* (2018). World Health Organization. <https://www.who.int/activities/promoting-baby-friendly-hospitals>
- Health and social services standards* (n.d.). Accreditation Canada. <https://accreditation.ca/standards/>
- Hernandez-Aguilar, M.-T., Bartick, M., Schreck, P., Harrel, C., & Academy of Breastfeeding Medicine (2018). ABM Clinical Protocol 7: Model maternity policy supportive of breastfeeding. *Breastfeeding Medicine*, 13(9), 559–574.
- Indicators for assessing infant and young child practices. Part 1. Definitions* (2008). World Health Organization and UNICEF. https://www.who.int/maternal_child_adolescent/documents/9789241596664/en/
- JCAHO-Joint Commission on Accreditation of Healthcare Organizations (1989). Characteristics of clinical indicators. *QRB-Quality Review Bulletin*, 15(11), 330–339.
- Langley, G., Moen, R., Nolan, K., Nolan, T., & Norman, C. (2009). *The Improvement Guide: A Practical Approach to Enhancing Organizational Performance*. San Francisco, CA: Jossey-Bass.
- Protecting, promoting and supporting breastfeeding: The Baby-Friendly Hospital Initiative for Small, Sick and Preterm Newborns* (2020). World Health Organization and UNICEF. <https://apps.who.int/iris/handle/10665/333686>

Responsive feeding infosheet (2016, October). UNICEF UK Baby-Friendly.

<https://www.unicef.org.uk/babyfriendly/wp-content/uploads/sites/2/2017/12/Responsive-Feeding-Infosheet-Unicef-UK-Baby-Friendly-Initiative.pdf>

The Breakthrough Series: IHI's Collaborative Model for Achieving Breakthrough Improvement. IHI

Innovation Series white paper. Boston: Institute for Healthcare Improvement; 2003.

<http://www.ihi.org/resources/Pages/IHIWhitePapers/TheBreakthroughSeriesIHIsCollaborativeModeIforAchievingBreakthroughImprovement.aspx>

The International Code of Marketing of Breast-milk Substitutes: Frequently Asked Questions (2017).

World Health Organization. <http://apps.who.int/iris/bitstream/10665/254911/1/WHO-NMH-NHD-17.1-eng.pdf>

The International Code of Marketing of Breast-Milk Substitutes: Frequently Asked Questions on the Roles and Responsibilities of Health Worker (2020). World Health Organization.

<https://www.who.int/publications/i/item/9789240005990>

Why standards matter (n.d.). Health Standards Organization. Retrieved June 2020, from <https://healthstandards.org/standards/why-standards-matter/>

References by Step

Step 1a

Ending inappropriate promotion of foods for infants and young children (2016). World Health Organization. <https://www.who.int/nutrition/publications/infantfeeding/manual-ending-inappropriate-promotion-food/en/>

IBFAN-ICDC Fact Sheet-BFHI and the Code (2018). IBFAN-ICDC. Available at:

https://allaiteraquebec.org/bibliothequevirtuelle/files/original/Geneve_Suisse./BFHI_Best_start_for_breastfeeding_in_health_facilities_ENG_2018.pdf

Implementation Guidance: Protecting, promoting and supporting breastfeeding in facilities providing maternity and newborn services: the revised Baby-Friendly Hospital Initiative (2018). World Health Organization and UNICEF. Sections 1.4, 1.5, 2.1, Appendix 1, Table2.

The International Code of Marketing of Breast-Milk Substitutes: Frequently Asked Questions on the Roles and Responsibilities of Health Worker (2020). World Health Organization.

<https://www.who.int/publications/i/item/9789240005990>

Working within the International Code of Marketing of Breast-milk Substitutes. A guide for healthcare workers (2017). UNICEF UK BFHI. <https://www.unicef.org.uk/babyfriendly/wp-content/uploads/sites/2/2016/10/Working-within-The-Code-Guide-for-Health-Workers.pdf>

Step 1b

Implementation Guidance: Protecting, promoting and supporting breastfeeding in facilities providing maternity and newborn services: the revised Baby-Friendly Hospital Initiative (2018). World Health Organization and UNICEF. Sections 1.5, 2.1, Appendix Table 2.

Step 1c

Implementation Guidance: Protecting, promoting and supporting breastfeeding in facilities providing maternity and newborn services: the revised Baby-Friendly Hospital Initiative (2018). World Health Organization and UNICEF. Sections 2.1, 3.4, 3.7, Appendix 1, Table 2 and 3.

Quality improvement essentials toolkit (n.d., ongoing). Institute for Healthcare Improvement. Retrieved May 2020, from <http://www.ihi.org/resources/Pages/Tools/Quality-Improvement-Essentials-Toolkit.aspx>

Step 2

- A National Interprofessional Competency Framework* (2010). Canadian Interprofessional Health Collaborative (CIHC). <http://ipcontherun.ca/wp-content/uploads/2014/06/National-Framework.pdf>
- Feldman-Winter, L. & Ustianov, J. (2016). Lessons learned from hospital leaders who participated in a national effort to improve maternity care practices and breastfeeding. *Breastfeeding Medicine*, 11(4), 1–7.
- Baby-Friendly Hospital Initiative Training Course for Maternity Staff* (2020). World Health Organization and UNICEF. <https://www.who.int/publications/i/item/9789240008915>
- Competency Verification Toolkit: Ensuring Competency of Direct Care Providers to Implement the Baby-friendly Hospital Initiative* (2020). World Health Organization and UNICEF. <https://www.who.int/publications/i/item/9789240008854>
- Guideline: Counselling women to improve breastfeeding practices* (2019). World Health Organization.
- Graham, L., Beardall, S., Carter, A., Tetroe, J. & Davies, B. (2003). The state of science and art of practice guidelines development, dissemination and evaluation in Canada. *Journal of Evaluation of Clinical Practice*, 9(2), 195–202.
- Hernandez-Aguilar, M-T., Bartick, M., Schreck, P., Harrel, C., & Academy of Breastfeeding Medicine. (2018). ABM Clinical Protocol #7: Model maternity policy supportive of breastfeeding. *Breastfeeding Medicine*, 13(9), 559–574. Specifics for Step 2: 560–563.
- Implementation Guidance: Protecting, promoting and supporting breastfeeding in facilities providing maternity and newborn services: the revised Baby-Friendly Hospital Initiative* (2018). World Health Organization and UNICEF. Sections 1.2, 1.3, 1.4, 1.5, 2.1, 2.4, 3.3, 3.4, Appendix 1, Tables 1, 2, 3.
- Meek, J.Y. & The Academy of Breastfeeding Medicine (2019). Educational objectives and skills for the physician with respect to breastfeeding. Revised 2018. *Breastfeeding Medicine*, 14(1), 5–13.
- Nickel, N.C., Taylor, E.C., Labbok, M.H., & Williamson, N.E. (2013). Applying organisation theory to understand barriers and facilitators to implementation of baby-friendly: A multisite qualitative study. *Midwifery*, 29(8), 956–964.
- Public Health Agency of Canada (2018). *Family-Centred Maternity and Newborn Care: National Guidelines*. Ottawa: PHAC. Chapter 1 and 6.

Step 3

- Guideline: Counselling women to improve breastfeeding practices* (2018). World Health Organization.
- Hernandez-Aguilar, M-T., Bartick, M., Schreck, P., Harrel, C., & The Academy of Breastfeeding Medicine (2018). ABM Clinical Protocol #7: Model maternity policy supportive of breastfeeding. *Breastfeeding Medicine*, 13(9), 559–574.
- Implementation Guidance: Protecting, promoting and supporting breastfeeding in facilities providing maternity and newborn services: the revised Baby-Friendly Hospital Initiative* (2018). World Health Organization and UNICEF. Sections 2.2; Appendix 1, Table 1.
- Kronborg, H., Maimburg, R.D., Vaeth, M. (2012). Antenatal training to improve breast feeding: A randomised trial. *Midwifery*, 28(6), 784–790.
- Rosen-Carole, C., Hartman, S. (2015). ABM Clinical Protocol #19: Breastfeeding Promotion in the Prenatal Setting. *Breastfeeding Medicine*, 10(10), 451–457.
- Wallenborn, J.T., Ihongbe, T., Rozario, S., & Masho, S.W. (2017). Knowledge of breastfeeding recommendations and breastfeeding duration: A survival analysis on Infant Feeding Practices II. *Breastfeeding Medicine*, 12(3), 156–162.

Step 4

- Family-Centred Maternity and Newborn Care: National Guidelines* (2018). Public Health Agency of Canada. Chapter 4, 40, 44, 60, 61; chapter 6, 14–16; Appendices C and D.
- Guideline: Protecting, promoting and supporting breastfeeding in facilities providing maternity and newborn services: the revised Baby-Friendly Hospital Initiative* (2017b). World Health Organization. Evidence and recommendations, 9–13.
- Hernandez-Aguilar, M-T., Bartick, M., Schreck, P., Harrel, C., & The Academy of Breastfeeding Medicine (2018). ABM Clinical Protocol #7: Model maternity policy supportive of breastfeeding. *Breastfeeding Medicine*, 13(9), 559–574.
- Implementation Guidance: Protecting, promoting and supporting breastfeeding in facilities providing maternity and newborn services: the revised Baby-Friendly Hospital Initiative* (2018). World Health Organization and UNICEF. Sections 1.1, 1.2, 2.2; Appendix 1, Table 1.
- WHO Recommendations: Intrapartum care for a positive childbirth experience* (2018). World Health Organization. 162–164. <https://www.who.int/publications/i/item/9789241550215>
- WHO Recommendations on Newborn Care* (2017a). World Health Organization.
- Widström, A-M., Brimdyr, K., Svensson, K., Caldwell, K., & Nissen, E. (2019). Skin-to-skin contact the first hour after birth, underlying implications and clinical practice. *Acta Paediatrica*, available ahead of print. DOI: 10.1111/apa.14754

Step 5

- Berens, P., Brodribb, W., & The Academy of Breastfeeding Medicine (2016). ABM Clinical Protocol #20: Engorgement. *Breastfeeding Medicine*, 11(4), 159–163.
- Boies, E.G., Vaucher, Y.E., & The Academy of Breastfeeding Medicine (2016). ABM Clinical Protocol #10: Breastfeeding the late preterm (34–36 6/7 weeks of gestation) and early term infants (37–38 6/7 weeks of gestation. *Breastfeeding Medicine*, 11(10), 494–500.
- Eglash, A., Simon, L., & The Academy of Breastfeeding Medicine (2017). ABM Clinical Protocol #8: Human milk storage information for home use for full-term infants. *Breastfeeding Medicine*, 12(7), 390–395.
- Evans, A., Marinelli, K.A., Taylor, J.S., & The Academy of Breastfeeding Medicine (2014). ABM Clinical Protocol #14: Guidelines for hospital discharge of the breastfeeding term newborn and mother: “the going home protocol”. *Breastfeeding Medicine*, 9(1), 3–8.
- Flaherman, V.J., Gay, B., Scott, C., Avins, A., Lee, K.A., & Newman, T.B. (2012). Randomised trial comparing hand expression with breast pumping for mothers of term newborns feeding poorly. *Archives of Diseases of Children, Fetal and Neonatal Edition*, 97(1), F18–F23.
- Hannula, L., Kaunonen, M., Koskinen, K., & Marja-Terttu, T. (2010). *Breastfeeding support for mothers and families during pregnancy and birth and after delivery. A clinical practice guideline*. Finland: University of Tampere. <https://www.hotus.fi/wp-content/uploads/2019/03/breastfeeding-hs.pdf>
- Hernandez-Aguilar, M-T., Bartick, M., Schreck, P., Harrel, C., & The Academy of Breastfeeding Medicine (2018). ABM Clinical Protocol #7: Model maternity policy supportive of breastfeeding. *Breastfeeding Medicine*, 13(9), 559–574.
- Holmes, A.V., McLeod, A.Y., & Bunik, M. (2013). ABM Clinical protocol #5: Peripartum breastfeeding management for the healthy mother and infant at term. *Breastfeeding Medicine*, 8(6), 469–473.
- Implementation Guidance: Protecting, promoting and supporting breastfeeding in facilities providing maternity and newborn services: the revised Baby-Friendly Hospital Initiative* (2018). World Health Organization and UNICEF. Sections 1.1, 1.3, 1.5, 2.2; Appendix 1, Table 1.
- Morton, J., Hall, J.Y., & Pessl, M. (2013). Five steps to improve bedside breastfeeding care. *Nursing for Women's Health*, 17(6), 478–487.

- Nommsen-Rivers, L.A., Heinig, M.J., Cohen, R.J., & Dewey, K.G. (2008). Newborn wet and soiled diaper counts and timing and onset of lactation as indicators of breastfeeding inadequacy. *Journal of Human Lactation*, 24(1), 27–33. This is the only valid research on this subject as of June 2020.
- Ohyama, M., Watabe, H., & Hayasaka, Y. (2010). Manual expression and electric breast pumping in the first 48 h after delivery. *Pediatrics International*, 52(1), 39–43.
- Public Health Agency of Canada (2018). *Family-Centred Maternity and Newborn Care: National Guidelines*. Ottawa: PHAC. Chapter 6, 17–23.

Step 6

- Abrams, E.M., Hildebrand, K., Blair, C., Chan, E.S. & the Canadian Pediatric Society Allergy Section (2019). Practice point: Timing of introduction of allergenic solids for infants at high risk. Canadian Paediatric Society. <https://www.cps.ca/en/documents/position/allergenic-solids>
- Ayton, J., van der Mei, I., Wills, K., Hansen, E., & Nelson, M. (2015). Cumulative risks and cessation of exclusive breast feeding: Australian cross-sectional survey. *Archives of Diseases in Children*, 100, 863–868.
- Boies, E.G., Vaucher, Y.E., & the Academy of Breastfeeding Medicine (2016). ABM Protocol #10: Breastfeeding the late preterm (34–36 6/7 weeks of gestation) and the early term infants (37–38 6/7 weeks of gestation). *Breastfeeding Medicine*, 11(10), 494–500.
- Chantry, C.J., Dewey, K.G., Peeron, J.M., Wagner, E.A., & Nommsen-Rivers, L.A. (2014). In-hospital formula use increases early breastfeeding cessation among first-time mothers intending to exclusively breastfeed. *Journal of Pediatrics*, 164, 1339–1345.
- Family-Centred Maternity and Newborn Care: National Guidelines* (2018). Public Health Agency of Canada. Chapter 6, 24–27.
- Galipeau, R., Dumas, L., & Lepage, M. (2017). Perception of not having enough milk and actual milk production of first-time breastfeeding mothers: Is there a difference? *Breastfeeding Medicine*, 12(4), 210–217.
- Health Canada, Canadian Pediatric Society, Dietitians of Canada, & Breastfeeding Committee for Canada (2014). *Nutrition for healthy term infants: Recommendations from birth to six months*. <https://www.canada.ca/en/health-canada/services/canada-food-guide/resources/infant-feeding/nutrition-healthy-term-infants-recommendations-birth-six-months.html>
- Health Canada, Canadian Pediatric Society, Dietitians of Canada, & Breastfeeding Committee for Canada (2015). *Nutrition for healthy term infants: Recommendations from six to 24 months*. <https://www.canada.ca/en/health-canada/services/canada-food-guide/resources/infant-feeding/nutrition-healthy-term-infants-recommendations-birth-six-months/6-24-months.html>
- Hernandez-Aguilar, M-T., Bartick, M., Schreck, P., Harrel, C., & the Academy of Breastfeeding Medicine (2018). ABM Clinical Protocol #7: Model maternity policy supportive of breastfeeding. *Breastfeeding Medicine*, 13(9), 559–574.
- Implementation Guidance: Protecting, promoting and supporting breastfeeding in facilities providing maternity and newborn services: the revised Baby-Friendly Hospital Initiative* (2018). World Health Organization and UNICEF. Sections 1.1, 1.2, 1.3, 2.2; Appendix 1, Table 1.
- Kellams, A., Harrel, C., Omage, S., Gregory, C., Rosen-Carole, C., & the Academy of Breastfeeding Medicine (2017). ABM Protocol #3: Supplementary feeding of the healthy term breastfed neonate. *Breastfeeding Medicine*, 12(3), 188–198.
- Moffitt, P. & Dickinson, R. (2016). Creating exclusive breastfeeding knowledge translation tools with First Nations mothers in Northwest Territories, Canada. *International Journal of Circumpolar Health*, 75, 8. doi: [10.3402/ijch.v75.32989](https://doi.org/10.3402/ijch.v75.32989)
- Moss, K.M., Dobson, A.J., Tooth, L., & Mishra, G.D. (2020). Which Australian women do not exclusively breastfeeding to 6 months, and why? *International Breastfeeding Journal*, online June 1. doi: 10.1177/0890334420929993

- Nguyen, P., Binns, C.W., Ha, A.V., Chu, T.K., Nguyen, L.C., Duong, D.V., Do, D.V., & Lee, A.H. (2019). Prelacteal and early formula feeding increase risk of infant hospitalisation: a prospective cohort study. *Archives of Diseases of Children*, 105, 122–126. doi: 10.1136/https://adc.bmjjournals.org/content/105/2/122
- Vehling, L., Chan, D., McGavock, J., Becker, A.B., Subbarao, P., Moraes, T.J., Mandhane, P.J., Turvey, S.E., Lefebvre, D.L., Sears, M.R., & Azad, M.B. (2017). Exclusive breastfeeding in hospital predicts longer breastfeeding duration in Canada: Implications for health equity. *Birth*, 45(4), 440–449.
- Wight, N., Marinelli, K.A., & the Academy of Breastfeeding Medicine (2014). ABM Protocol #1: Guidelines for blood glucose monitoring and treatment of hypoglycemia in term and late-preterm neonates. *Breastfeeding Medicine*, 9(4), 173–179.

Step 7

- Blair, P.S., Ball, H. L., Mckenna, J.J., Feldman-Winter, L., Marinelli, K.A., Bartick, M.C., the Academy of Breastfeeding Medicine, Young, M., Noble, L. Calhoun, S., Elliott-Rudder, M., Kair, L.R., Lappin, S., Larson, I., Lawrence, R.A., Lefort, Y., Marshall, N., Mitchell, K., Murak, C. ... Wonodi, A. (2020). Bedsharing and Breastfeeding: The Academy of Breastfeeding Medicine Protocol #6. *Breastfeeding Medicine*, 15(1), 1–12.
- Family-Centred Maternity and Newborn Care: National Guidelines* (2018b). Public Health Agency of Canada. Chapter 6, 28.
- Hernandez-Aguilar, M-T., Bartick, M., Schreck, P., Harrel, C., & The Academy of Breastfeeding Medicine (2018). ABM Clinical Protocol # 7: Model maternity policy supportive of breastfeeding. *Breastfeeding Medicine*, 13(9), 566–567.
- Holmes, A.V., McLeod, A.Y., & Bunik, M. (2013). ABM Clinical Protocol #5: Peripartum breastfeeding management for the healthy mother and infant at term. *Breastfeeding Medicine*, 8(6), 469–473.
- Implementation Guidance: Protecting, promoting and supporting breastfeeding in facilities providing maternity and newborn services: the revised Baby-Friendly Hospital Initiative* (2018). World Health Organization and UNICEF. Sections 1.2, 2.2; Appendix 1, Table 1.
- Joint statement on safe sleep: Preventing sudden deaths in Canada* (2018a). Public Health Agency of Canada. <https://www.canada.ca/en/public-health/services/health-promotion/childhood-adolescence/stages-childhood/infancy-birth-two-years/safe-sleep/joint-statement-on-safe-sleep.html>
- McDonell, E. & Moon, R.Y. (2014). Infant deaths and injuries associated with wearable blankets, swaddle wraps, and swaddling. *Journal of Pediatrics*, 164(5), 1152–1156.
- WHO recommendations: intrapartum care for a positive childbirth experience* (2018). World Health Organization. <https://www.who.int/publications/i/item/9789241550215>
- WHO Recommendations on Newborn Care* (2017). World Health Organization. 5, 10, 25. <https://apps.who.int/iris/handle/10665/259269>

Step 8

- Family-Centred Maternity and Newborn Care: National Guidelines* (2018). Public Health Agency of Canada. Chapter 6, 29–32.
- Health Canada, Canadian Paediatric Society, Dietitians of Canada, & Breastfeeding Committee for Canada (2013). *Nutrition for healthy term infants: recommendations from birth to six months*. Health Canada. <https://www.canada.ca/en/health-canada/services/canada-food-guide/resources/infant-feeding/nutrition-healthy-term-infants-recommendations-birth-six-months.html>
- Health Canada, Canadian Paediatric Society, Dietitians of Canada, & Breastfeeding Committee for Canada (2015). *Nutrition for healthy term infants: recommendations from six to 24 months*. Health

- Canada. <https://www.canada.ca/en/health-canada/services/canada-food-guide/resources/infant-feeding/nutrition-healthy-term-infants-recommendations-birth-six-months/6-24-months.html>
- Hedberg-Nyqvist, K., Sjöden, P-O., & Ewald, U. (1999). The development of preterm infants' breastfeeding behavior. *Early Human Development*, 55, 247–264. (No significant more-recent article found).
- Hernandez-Aguilar, M-T., Bartick, M., Schreck, P., Harrel, C., & The Academy of Breastfeeding Medicine (2018). ABM Clinical Protocol # 7: Model maternity policy supportive of breastfeeding. *Breastfeeding Medicine*, 13(9), 559–574.
- Implementation Guidance: Protecting, promoting and supporting breastfeeding in facilities providing maternity and newborn services: the revised Baby-Friendly Hospital Initiative* (2018). World Health Organization/UNICEF. Section 2.2; Appendix 1, Table 1.
- Nyqvist, K.H., Maastrup R., Hansen, M.N., Haggkvist, A.P., Hannula, L., Ezeonodo, A., Kylberg, E., Frandsen, A.L., Haiek, L.N. (2015). *Neo-BFHI: The Baby-Friendly Hospital Initiative for Neonatal Wards. Core documents with recommended standards and criteria*. Nordic and Quebec Working Group. 38–40. http://epilegothilasmo.gr/wp-content/uploads/2017/04/Neo_BFHI_Core_document_2015_Edition.pdf
- Responsive feeding infosheet* (2017). UNICEF-UK. <https://www.unicef.org.uk/babyfriendly/wp-content/uploads/sites/2/2017/12/Responsive-Feeding-Infosheet-Unicef-UK-Baby-Friendly-Initiative.pdf>
- WHO Recommendations on Newborn Health* (2017). World Health Organization. <https://apps.who.int/iris/bitstream/handle/10665/259269/WHO-MCA-17.07-eng.pdf?sequence=1&isAllowed=y>

Step 9

- Boies, E.G., Vaucher, Y.E. (2016). ABM Clinical Protocol #10: Breastfeeding the Late Preterm (34-36 6/7 Weeks of Gestation) and Early Term Infants (37-38 6/7 Weeks of Gestation). *Breastfeeding Medicine*, 11(10), 494–500. doi: 10.1089/bfm.2016.29031.egb
- Buccini, GdosS., Pérez-Escamilla, R., & Venancio, S.I. (2016a). Pacifier use and exclusive breastfeeding in Brazil. *Journal of Human Lactation*, 32(3), NP52–NP60.
- Buccini, GdosS., Pérez-Escamilla, R., Paulino, L.M., Araujo, C.L., & Venancio, S.I. (2016b). Pacifier use and interruption of exclusive breastfeeding: Systematic review and meta-analysis. *Maternal and Child Nutrition*, 13, e12384–e12430.
- Hedberg-Nyqvist, K., Sjöden, P-O., & Ewald, U. (1999). The development of preterm infants' breastfeeding behavior. *Early Human Development*, 55, 247–264. (No significant more-recent article found.)
- Hernandez-Aguilar, M-T., Bartick, M., Schreck, P., Harrel, C., & The Academy of Breastfeeding Medicine (2018). ABM Clinical Protocol #7: Model maternity policy supportive of breastfeeding. *Breastfeeding Medicine*, 13(9), 559–574.
- Howard, C.R., Howard, F.M., Lanphear, B., Eberly, S., deBlieck, E.A., Oakes, D., & Lawrence, R.A. (2003). Randomized clinical trial of pacifier use and bottle-feeding or cupfeeding and their effect on breastfeeding. *Pediatrics*, 111(3), 511–518.
- Implementation Guidance: Protecting, promoting and supporting breastfeeding in facilities providing maternity and newborn services: the revised Baby-Friendly Hospital Initiative* (2018). World Health Organization. Sections 1.5, 2.2; Appendix 1, Table 1.
- Karabulut, E., Yalçın, S.S., Ozdemir-Geyik, P., & Karaagaoglu, E. (2009). Effect of pacifier use on exclusive and any breastfeeding: A meta-analysis. *Turkish Journal of Pediatrics*, 51(1), 35–43.
- Kellams, A., Harrel, C., Omage, S., Gregory, C., Rosen-Carole, C. (2017). ABM Clinical Protocol #3: Supplementary Feedings in the Healthy Term Breastfed Neonate. *Breastfeeding Medicine*, 12(3), 1–11. doi: 10.1089/bfm.2017.29038.ajk

- Kronborg, H. & Vaeth, M. (2009). How are effective breastfeeding technique and pacifier use related to breastfeeding problems and breastfeeding duration? *Birth*, 36(March), 9 pages.
- Li, R., Fein, S.B., & Grummer-Sawn, L.M. (2010). Do infants fed from bottles lack self-regulation of milk intake compared with directly fed at the breast? *Pediatrics*, 125(6), e1386–e1393.
- Nelson, E.A.S., Yu, L-M., Williams, S., & the International Child Care Practices Study Group Members (2005). International Child Care Practices Study: Breastfeeding and pacifier use. *Journal of Human Lactation*, 21(3) 289–295.
- Nyqvist, K.H., Maastrup R., Hansen, M.N., Haggkvist, A.P., Hannula, L., Ezeonodo, A., Kylberg, E., Frandsen, A.L., Haiek, L.N. (2015). *Neo-BFHI: The Baby-Friendly Hospital Initiative for Neonatal Wards. Core documents with recommended standards and criteria*. Nordic and Quebec Working Group. 38–40. http://epilegothilasmo.gr/wp-content/uploads/2017/04/Neo_BFHI_Core_document_2015_edition.pdf
- O'Connor, N.R., Tanabe, K.O., Siadaty, M.S., & Hauck, F.R. (2009). Pacifiers and breastfeeding. A systematic review. *Archives of Pediatric & Adolescent Medicine*, 163(4), 378–382.

Step 10

- Baerug, A., Laake, P., Loland, B.F., Tylleskär, T., Tufte, E., & Fretheim, A. (2017). Explaining socioeconomic inequalities in exclusive breast feeding in Norway. *Archives of Diseases of Children*, 102, 708–714.
- Boies, E.G., Vaucher, Y.E. (2016). ABM Clinical Protocol #10: Breastfeeding the Late Preterm (34-36 6/7 Weeks of Gestation) and Early Term Infants (37-38 6/7 Weeks of Gestation). *Breastfeeding Medicine*, 11(10), 494–500.
- Evans, A., Marinelli, K.A., & Taylor, J.S. (2014). ABM Clinical Protocol #2: Guidelines for Hospital Discharge of the Breastfeeding Term Newborn and Mother: “The Going Home Protocol.” *Breastfeeding Medicine*, 9(1), 3–8.
- Family-Centred Maternity and Newborn Care: National Guidelines* (2018). Public Health Agency of Canada. Chapter 6, 34–36.
- Hernandez-Aguilar, M-T., Bartick, M., Schreck, P., Harrel, C., & The Academy of Breastfeeding Medicine (2018). ABM Clinical Protocol # 7: Model maternity policy supportive of breastfeeding. *Breastfeeding Medicine*, 13(9), 568.
- Hannula, L., Kaunonen, M., Katja, K., & Tarkka, M-T. (2010). *Breastfeeding support for mothers and families during pregnancy and birth and delivery. A clinical practice guideline*. Metropolia University of Applied Sciences. <https://www.hutus.fi/wp-content/uploads/2019/03/breastfeeding-hs.pdf>
- Implementation Guidance: Protecting, promoting and supporting breastfeeding in facilities providing maternity and newborn services: the revised Baby-Friendly Hospital Initiative* (2018). World Health Organization. Sections 1.3, 2.2; Appendix 1, Table 1.
- Kaunonen, M., Hannula, L., & Tarkka, M-T. (2012). A systematic review of peer support interventions for breastfeeding. *Journal of Clinical Nursing*, 21, 1943–1954.
- Noble, L.M., Okogbule-Wonodi, A.C., Young, M.A. (2018). ABM Clinical Protocol #12: Transitioning the Breastfeeding Preterm Infant from the Neonatal Intensive Care Unit to Home. *Breastfeeding Medicine*, 13(4), 230–236.
- Public Health: A conceptual paper* (2017). Canadian Public Health Association.
- Public Health-Community Health Nursing Practice in Canada. Roles and activities* (2010). Canadian Public Health Association. Fourth edition.
- Response to the JAMA Pediatrics study on association of early introduction of solids with infant sleep* (2018, July). UNICEF-UK Baby-Friendly Initiative. <https://www.unicef.org.uk/babyfriendly/wp-content/uploads/sites/2/2018/07/Statement-on-starting-solids-an-infant-sleep-study-Unicef-UK-Baby-Friendly-Initiative.pdf>